European Journal of Phycology

Formerly
British Phycological Journal

Index and Contents of Volume 34
February–November 1999

Cambridge University Press

The Edinburgh Building, Cambridge CB2 2RU, United Kingdom
40 West 20th Street, New York, NY 10011–4211, USA
10 Stamford Road, Oakleigh, Melbourne, 3166, Australia

© 1999 British Phycological Society

EUROPEAN JOURNAL OF PHYCOLOGY
CONTENTS AND INDEX TO
VOLUME 34

The Council of the British Phycological Society wish it to be understood that they do not accept responsibility for the accuracy of statements published in the *Journal*, excepting when those statements are contained in an official report of the Council.

Number 1, pp. 1–96, 24 March 1999
Number 2, pp. 97–192, 27 May 1999
Number 3, pp. 193–318, 27 September 1999
Number 4, pp. 319–426, 25 October 1999
Number 5, pp. 427–539, 15 December 1999

AGUILERA A. *see* GONZALEZ-GIL, LOPEZ-RODAS and COSTAS 27
ANDERSON R.J. *see* GRIFFIN & BOLTON 505
ANDRIA J.R., VERGARA J.J. & PEREZ-LLORENS J.L. Biochemical responses and photosynthetic performance of *Gracilaria* sp. (Rhodophyta) from Cádiz, Spain, cultured under different inorganic carbon and nitrogen levels 497
ANGELER D.G. *see* SCHAGERL and COLEMAN 87
ARP G., REIMER A. & REITNER J. Calcification in cyanobacterial biofilms of alkaline salt lakes 393
ATHANASIADIS A. *Mesophyllum macedonis*, nov. sp. (Rhodophyta, Corallinales), a putative Tethyan relic in the North Aegean Sea 239
AXELSSON L. *see* LARSSON 79
BEATTIE K.A. *see* CODD, BELL, KAYA, WARD and METCALF 405
BEELEN T.P.M. *see* VRIELING, POORT and GIESKES 307
BELL S.G. *see* CODD, KAYA, WARD, BEATTIE and METCALF 405
BENGTSSON R. *see* MOLLENHAUER and LINDSTRØM 349
BERKALOFF C. *see* HARKER, LEMOINE, BRITTON, YOUNG, DUVAL, RMIKI and ROUSSEAU 35
BÉRUBÉ K.A., DODGE J.D. & FORD T.W. Effects of chronic salt stress on the ultrastructure of *Dunaliella bioculata* (Chlorophyta, Volvocales): mechanisms of response and recovery 117
BIGAZZI M. *see* BODDI and SARTONI 297
BODDI S., BIGAZZI M. & SARTONI G. Ultrastructure of vegetative and motile cells, and zoosporogenesis in *Chrysonephos lewisii* (Taylor) Taylor (Sarcinochrysidales, Pelagophyceae) in relation to taxonomy 297
BOLTON J.J. *see* GRIFFIN and ANDERSON 505
BOND P.R., BROWN M.T., MOATE R.M., GLEDHILL M., HILL S.J. & NIMMO M. Arrested development in *Fucus spiralis* (Phaeophyceae) germlings exposed to copper 513
BOO S.M. *see* LEE, YOON, MOTOMURA and KIM 205
BRAND J.J. *see* CRUTCHFIELD & DILLER 43
BREEMAN A.M. *see* ORFANIDIS & VENEKAMP 469
BRITTON G. *see* HARKER, BERKALOFF, LEMOINE, YOUNG, DUVAL, RMIKI and ROUSSEAU 35
BROWN M.T. *see* BOND, MOATE, GLEDHILL, HILL and NIMMO 513
BÜDEL B. Ecology and diversity of rock-inhabiting cyanobacteria in tropical regions 361
CALADO A.J., HANSEN G. & MOESTRUP Ø Architecture of the flagellar apparatus and related structures in the type species of *Peridinium*, *P. cinctum* (Dinophyceae) 179
CHEPURNOV V.A. & MANN D.G. Variation in the sexual behaviour of *Achnanthes longipes* (Bacillariophyta). II. Inbred monoecious lineages 1
CLAYTON M.N. *see* KEVEKORDES 65
CLAYTON M.N. *see* SCHOENWAELDER 223
CODD G.A., BELL S.G., KAYA K., WARD C.J., BEATTIE K.A. & METCALF J.S., Cyanobacterial toxins, exposure routes and human health 405
COLEMAN A.W. *see* SCHAGERL & ANGELER 87
COSTAS E. *see* GONZALEZ-GIL, AGUILERA and LOPEZ-RODAS 27
COX E.J. *Craspedostauros* gen. nov., a new diatom genus for some unusual marine raphid species previously placed in *Stauroneis* Ehrenberg and *Stauronella* Mereschkowsky 131
CROMAR N.J. *see* FALLOWFIELD & MARTIN 231
CRUTCHFIELD A.L.M., DILLER K.R. & BRAND J.J. Cryopreservation of *Chlamydomonas reinhardtii* (Chlorophyta) 43
DE REVIERS B. *see* ROUSSEAU 53
DESLANDES E. *see* FOURNET, ZINOUN, DIOURIS and FLOC'H 125
DESLANDES E. *see* GOULARD, DIOURIS and FLOC'H 21
DE WINDER B. *see* STAATS, STAL and MUR 161
DILLER K.R. *see* CRUTCHFIELD and BRAND 43
DIOURIS M. *see* FOURNET, ZINOUN, DESLANDES and FLOC'H 125
DIOURIS M. *see* GOULARD, DESLANDES and FLOC'H 21
DODGE J.D. *see* BÉRUBÉ and FORD 117
DRAISMA S.G.A. *see* MALTA and KAMERMANS 443
DUVAL J.-C. *see* HARKER, BERKALOFF, LEMOINE, BRITTON, YOUNG, RMIKI and ROUSSEAU 35
EDWARDS H.G.M. *see* WYNN-WILLIAMS and GARCIA-PICHEL 381
EHLING-SCHULZ M. & SCHERER S. UV protection in cyanobacteria 329
FALLOWFIELD H.J., MARTIN N.J. & CROMAR N.J. Performance of a batch-fed High Rate Algal Pond for animal waste treatment 231
FLOC'H J.Y. *see* FOURNET, ZINOUN, DESLANDES and DIOURIS 125
FLOC'H J.-Y. *see* GOULARD, DIOURIS and DESLANDES 21
FORD T.W. *see* BÉRUBÉ & DODGE 117
FOURNET I., ZINOUN M., DESLANDES E., DIOURIS M. & FLOC'H J.Y. Floridean starch and carrageenan contents as responses of the red alga *Solieria chordalis* to culture conditions 125
FRAUNHOLZ M. *see* WENDEROTH, MARQUARDT, VAN DE PEER, WASTL and MAIER 97
GARCIA-PICHEL F. *see* WYNN-WILLIAMS & EDWARDS 381
GERARD-HIRNE C. *see* LEMAIRE, HOURS, TROUABAL, ROCHE and JACQUOT 279
GIESKES W.W.C. *see* VRIELING, POORT and BEELEN 307
GLEDHILL M. *see* BOND, BROWN, MOATE, HILL and NIMMO 513
GOËR S.L.-D *see* GUENEAU and WILLIAMS 533
GOLUBIC S. & SEONG-JOO L. Early cyanobacterial fossil record: preservation, palaeoenvironments and identification 339
GONZALEZ-GIL S., AGUILERA A., LOPEZ-RODAS V. & COSTAS E. Characterization of morphospecies and strains of *Pseudanabaena* (Cyanophyceae) from laboratory cultures using antibodies and lectins 27
GOULARD F., DIOURIS M., DESLANDES E. & FLOC'H J.-Y. Nucleotides, nucleoside sugars and UDP-glucose-4-epimerase activity in the *iota*-carrageenophytes *Solieria chordalis* and *Calliblepharis jubata* (Rhodophyceae) 21
GRIFFIN N.J., BOLTON J.J. & ANDERSON R.J. *Porphyra aeodis* sp. nov. (Bangiales, Rhodophyta), an epiphyte of *Aeodes orbitosa* from South Africa 505
GROSS W. *see* OESTERHELT & SCHNARRENBERGER 271

GUENEAU P., GOËR S.L.-D & WILLIAMS K.P. Correspondence: The GC-rich region and TΨC *trn* arm found in the *petF* region of the *Thalassiosira weissflogii* plastid genome encode a tmRNA 533
GUIRY M.D. *see* STENGEL & WILKES 213
HAMEED H.A., KILINC S., McGOWAN S. & MOSS B. Physiological tests and bioassays: aids or superfluities to the diagnosis of phytoplankton nutrient limitation? A comparative study in the Broads and the Meres of England 253
HANSEN G. *see* CALADO and MOESTRUP 179
HARKER M., BERKALOFF C., LEMOINE Y., BRITTON G., YOUNG A.J., DUVAL J.-C., RMIKI N.-E. & ROUSSEAU B. Effects of high light and desiccation on the operation of the xanthophyll cycle in two marine brown algae 35
HEANEY S.I. *see* RENGEFORS & McCALL 171
HELLIO C. & LE GAL Y. Histidase from the unicellular green alga *Dunaliella tertiolecta*: purification and partial characterization 71
HILL S.J. *see* BOND, BROWN, MOATE, GLEDHILL and NIMMO 513
HOFFMANN L. Marine cyanobacteria in tropical regions: diversity and ecology 371
HOURS M. *see* LEMAIRE, GERARD-HIRNE, TROUABAL, ROCHE and JACQUOT 279
JACQUOT J.-P. *see* LEMAIRE, HOURS, GERARD-HIRNE, TROUABAL and ROCHE 279
KAMERMANS P. *see* MALTA & DRAISMA 443
KAYA K. *see* CODD, BELL, WARD, BEATTIE and METCALF 405
KEVEKORDES K. & CLAYTON M.N. Shedding of the zygote wall by *Durvillaea potatorum* (Durvillaeales, Phaeophyta) embryos 65
KILINC S. *see* HAMEED, McGOWAN and MOSS 253
KIM Y.J. *see* LEE, YOON, MOTOMURA and BOO 205
KOWALLIK K.V. *see* MARTIN 287
LARSSON C. & AXELSSON L. Bicarbonate uptake and utilization in marine macroalgae 79
LE CAMPION-ALSUMARD T. *see* SCHNEIDER 417
LEE Y.K., YOON H.S., MOTOMURA T., KIM Y.J. & BOO S.M. Phylogenetic relationships between *Pelvetia* and *Peivetiopsis* (Fucaceae, Phaeophyta) inferred from sequences of the RuBisCo spacer region 205
LE GAL Y. *see* HELLIO 71
LEMAIRE S.D., HOURS M., GERARD-HIRNE C., TROUABAL A., ROCHE O. & JACQUOT J.-P. Analysis of light/dark synchronization of cell-wall-less *Chlamydomonas reinhardtii* (Chlorophyta) cells by flow cytometry 279
LEMOINE Y. *see* HARKER, BERKALOFF, BRITTON, YOUNG, DUVAL, RMIKI and ROUSSEAU 35
LEVADO E. *see* SIGEE & TEPER 477
LINDSTRØM E.-A. *see* MOLLENHAUER & BENGTSSON 349
LINDSTROM S.C. *see* SOSA 427
LOPEZ-RODAS V. *see* GONZALEZ-GIL, AGUILERA and COSTAS 27
McCALL R.D. *see* RENGEFORS and HEANEY 171
McGOWAN S. *see* HAMEED, KILINC and MOSS 253
MAIER U.-G. *see* WENDEROTH, MARQUARDT, FRAUNHOLZ, VAN DE PEER and WASTL 97
MALTA E.-J., DRAISMA S.G.A. & KAMERMANS P. Free-floating *Ulva* in the southwest Netherlands: species or morphotypes? A morphological, molecular and ecological comparison 443
MANN D.G. *see* CHEPURNOV 1
MARQUARDT J. *see* WENDEROTH, FRAUNHOLZ, VAN DE PEER, WASTL and MAIER 97
MARTIN N.J. *see* FALLOWFIELD and CROMAR 231
MARTIN W. & KOWALLIK K.V. Annotated English translation of Mereschkowsky's 1905 paper 'Über Natur und Ursprung der Chromatophoren im Pflanzenreiche' 287
MERCADO J.M. & NIELL F.X. Carbonic anhydrase activity and use of HCO_3^- in *Bostrychia scorpioides* (Ceramiales, Rhodophyceae) 13
METCALF J.S. *see* CODD, BELL, KAYA, WARD and BEATTIE 405
MOATE R.M. *see* BOND, BROWN, GLEDHILL, HILL and NIMMO 513
MOESTRUP Ø *see* CALADO & HANSEN 179
MOLLENHAUER D., BENGTSSON R. & LINDSTRØM E.-A. Macroscopic cyanobacteria of the genus *Nostoc*: a neglected and endangered constituent of European inland aquatic biodiversity 349
MORANÇAIS M. *see* MOUGET, TREMBLIN, MORANT-MANCEAU and ROBERT 109
MORANT-MANCEAU A. *see* MOUGET, TREMBLIN, MORANÇAIS and ROBERT 109
MOSS B. British Phycological Society Presidential Address 1999 From algal culture to ecosystem: from information to culture 193
MOSS B. *see* HAMEED, KILINC and McGOWAN 253
MOTOMURA T. *see* LEE, YOON, KIM and BOO 205
MOUGET J.-L., TREMBLIN G., MORANT-MANCEAU A., MORANÇAIS M. & ROBERT J.-M. Long-term photoacclimation of *Haslea ostrearia* (Bacillariophyta): effect of irradiance on growth rates, pigment content and photosynthesis 109
MÜLLER U. The vertical zonation of adpressed diatoms and other epiphytic algae on *Phragmites australis* 487
MUR L.R. *see* STAATS, DE WINDER and STAL 161
NAM K.W. Morphology of *Chondrophycus undulata* and *C. parvipapillata* and its implications for the taxonomy of the *Laurencia* (Ceramiales, Rhodophyta) complex 455
NIELL F.X. *see* MERCADO 13
NIMMO M. *see* BOND, BROWN, MOATE, GLEDHILL and HILL 513
OESTERHELT C., SCHNARRENBERGER C. & GROSS W. Characterization of a sugar/polyol uptake system in the red alga *Galdieria sulphuraria* 271
ORFANIDIS S., VENEKAMP L.A.H. & BREEMAN A.M. Ecophysiological adaptations of two Mediterranean red algae in relation to distribution 469
PEREZ-LLORENS J.L. *see* ANDRIA & VERGARA 497
POORT L. *see* VRIELING, BEELEN and GIESKES 307
POTTS M. Mechanisms of desiccation tolerance in cyanobacteria 319
REIMER A. *see* ARP and REITNER 393
REITNER J. *see* ARP & REIMER 393
RENGEFORS K., McCALL R.D. & HEANEY S.I. Quantitative X-ray microanalysis as a method for measuring phosphorus in dinoflagellate resting cysts 171
RMIKI N.-E. *see* HARKER, BERKALOFF, LEMOINE, BRITTON, YOUNG, DUVAL and ROUSSEAU 35
ROBERT J.-M. *see* MOUGET, TREMBLIN, MORANT-MANCEAU and MORANÇAIS 109
ROCHE O. *see* LEMAIRE, HOURS, GERARD-HIRNE, TROUABAL and JACQUOT 279
ROUSSEAU B. *see* HARKER, BERKALOFF, LEMOINE, BRITTON, YOUNG, DUVAL and RMIKI 35
ROUSSEAU F. & DE REVIERS B. Phylogenetic relationships within the Fucales (Phaeophyceae) based on combined partial SSU + LSU rDNA sequence data 53
SARTONI G. *see* BODDI & BIGAZZI 297
SCHAGERL M., ANGELER D.G. & COLEMAN A.W. Infraspecific phylogeny of *Pandorina morum* (Volvocales, Chlorophyta) inferred from molecular, biochemical and traditional data 87
SCHERER S. *see* EHLING-SCHULZ 329
SCHNARRENBERGER C. *see* OESTERHELT and GROSS 271
SCHNEIDER J. & LE CAMPION-ALSUMARD T. Construction and destruction of carbonates by marine and freshwater cyanobacteria 417
SCHOENWAELDER M.E.A. & CLAYTON M.N. The role of the cytoskeleton in brown algal physode movement 223
SEONG-JOO L. *see* GOLUBIC 339
SHEATH R.G. *see* SHERWOOD 523
SHERWOOD A.R. & SHEATH R.G. Biogeography and systematics of *Hildenbrandia* in North America (Rhodophyta, Hildenbrandiales): inferences from morphometrics and *rbc*L and 18S rRNA gene sequence analyses 523
SIGEE D.C., TEPER J. & LEVADO E. Elemental composition of the cyanobacterium *Anabaena flos-aquae* collected from different depths within a stratified lake 477
SOSA P.A. & LINDSTROM S.C. Review: Isozymes in macroalgae (seaweeds): genetic differentiation, genetic variability and applications in systematics 427
STAATS N., DE WINDER B., STAL L.J. & MUR L.R. Isolation and characterization of extracellular polysaccharides from the epipelic diatoms *Cylindrotheca closterium* and *Navicula salinarum* 161
STAL L.J. *see* STAATS, DE WINDER and MUR 161
STENGEL D.B., WILKES R.J. & GUIRY M.D. Seasonal growth and

recruitment of *Himanthalia elongata* (Fucales, Phaeophycota) in different habitats on the Irish west coast 213
TEPER J. *see* SIGEE and LEVADO 477
TREMBLIN G. *see* MOUGET, MORANT-MANCEAU, MORANÇAIS and ROBERT 109
TROUABAL A. *see* LEMAIRE, HOURS, GERARD-HIRNE, ROCHE and JACQUOT 279
VAN DE PEER Y. *see* WENDEROTH, MARQUARDT, FRAUNHOLZ, WASTL and MAIER 97
VENEKAMP L.A.H. *see* ORFANIDIS and BREEMAN 469
VERGARA J.J. *see* ANDRIA and PEREZ-LLORENS 497
VRIELING E.G., POORT L., BEELEN T.P.M. & GIESKES W.W.C. Growth and silica content of the diatoms *Thalassiosira weissflogii* and *Navicula salinarum* at different salinities and enrichments with aluminium 307
WARD C.J. *see* CODD, BELL, KAYA, BEATTIE and METCALF 405
WASTL J. *see* WENDEROTH, MARQUARDT, FRAUNHOLZ, VAN DE PEER and MAIER 97
WENDEROTH K., MARQUARDT J., FRAUNHOLZ M., VAN DE PEER Y., WASTL J. & MAIER U.-G. The taxonomic position of *Chlamydomyxa labyrinthuloides* 97
WILKES R.J. *see* STENGEL and GUIRY 213
WILLIAMS K.P. *see* GUENEAU & GOËR 533
WYNN-WILLIAMS D.D., EDWARDS H.G.M. & GARCIA-PICHEL F. Functional biomolecules of Antarctic stromatolitic and endolithic cyanobacterial communities 381
YOON H.S. *see* LEE, MOTOMURA, KIM and BOO 205
YOUNG A.J. *see* HARKER, BERKALOFF, LEMOINE, BRITTON, DUVAL, RMIKI and ROUSSEAU 35
ZINOUN M. *see* FOURNET, DESLANDES, DIOURIS and FLOC'H 125

SUBJECT INDEX

Achnanthes, 1
Actin, 223
adhesion, 65
adpressed diatoms, 487
Aegean Sea, 239
algal cryopreservation, 43
alginate, 65
allozymes, 427
Aluminium, 307
Anabaena, 477
anion exchange(r), 79
anions, 477
annual cycle, 487
Antarctic, 381
anthropogenic changes, 349
antibodies, 27
antioxidants, 329
aplanospores, 97
aquatic biodiversity, 349
auxosporulation, 1
Axillariella, 53
Bacillariophyceae, 307
Bacillariophyta, 1, 109
Bangiales, 505
Biennial life-history, 213
biodiversity, 371
bioerosion, 417
biofilm, 393
biogenic weathering, 361
Biogeography, 239
biogeography, 371, 523
biokarst, 417
biosynthesis, 125
blue-green algae, 477
breeding system, 1
Broads, 253
brown algae, 53
^{14}C labelling, 125
calcification, 393
Calliblepharis jubata, 21
carbon, 497
carbonates, 417
carbon-concentrating mechanism, 13
carbonic anhydrase, 13, 79
carotenoids, 87
carrageenan, 125
carrageenan biosynthesis, 21
cations, 477
Cell cycle, 279
Cell wall, 223
Ceratium furcoides, 171
Ceratium hirundinella, 171
characterization, 71
chemostat, 497
Chert, 339
Chlamydomonas, 279
Chlamydomonas reinhardtii, 43
Chlamydomyxa labyrinthuloides, 97
Chlorophyta, 79
Chondrophycus parvipapillata, 455
Chondrophycus undulata, 455
Chrysomeridales, 297
Chrysonephos, 297
Chrysophyceae, 97, 297
CO_2 gas exchange, 361
conservation, 349
copper, 513
Corallinales, 239
Craspedostauros, 131
Cyanidiaceae, 271
cyanobacteria, 27, 319, 329
Cyanobacteria, 339, 371
cyanobacteria, 381, 393
Cyanobacteria, 405
Cyanophyta, 371, 405
Cylindrotheca closterium, 161
cyst, 171
Cystoseiraceae, 53
Cytochalasin, 223
Cytometry, 279
Cytoskeleton, 223
2D electrophoresis, 329
desiccation, 35, 319
development, 65
diatom, 1
diatoms, 161
dinoflagellate, 171
dinoflagellates, 179
distribution, 213
diversity, 361
DNA repair, 329
Dunaliella, 117
Dunaliella tertiolecta, 71
Durvillaea, 53, 65
ecosystem, 361
Electron microscopy, 297
electron-translucent vesicles, 513
electrophoresis, 427, 505
embryo, 65
endolithic, 381
Enteromorpha, 443
Epi-/endolithic cyanobacteria, 417
EPS, 161, 319
Europe, 349
evolution, 339
exopolymers, 393
extracellular polymeric substances, 161
extracellular polysaccharides, 329
flagellar apparatus, 179
floridean starch, 125
fluorescence, 109
freezing damage, 43
Freshwater, 253
freshwater, 417
Frustules, 307
Fucaceae, 205
Fucales, 213
Fucus spiralis, 513
Galdieria sulphuraria, 271
Gaoyuzhuang Formation, 339
generic delineation, 455
genetic identity, 427
genetic structure, 427
genetic variability, 427
geographic distribution, 469
germlings, 513
glycerol, 117
Gracilaria, 497
growth, 469
Haslea ostrearia, 109
health, 405
Heterotrophy, 271
High Rate Algal Ponds, 231
Hildenbrandia, 523
Himanthalia elongata, 213
histidase, 71

historical landscapes, 349
Hormosira, 53
Hormosira banksii, 223
in situ growth, 213
inbreeding depression, 1
infrageneric taxonomy, 455
inorganic carbon, 79
irradiance, 469
isozymes, 427, 505
ITS sequences, 87, 443
Laminaria, 35
Latrunculin, 223
Laurencia, 455
lectins, 27
lichens, 381
light acclimation, 109
light optimum, 487
lithic, 381
Lithothamnion philippii, 239
loroxanthin, 87
LSU and SSU rDNA sequences, 53
macroscopic *Nostoc* species, 349
marine, 371, 417
marine diatoms, 131
Mediterranean, 469
membranes, 319
Meres, 253
Mesophyllum alternans, 239
Mesophyllum incisum, 239
Mesophyllum mesomorphum, 239
Mesophyllum ornatum, 239
methanol cryoprotection, 43
microalgae, 71, 109, 279
microbial fossil, 339
microcystin, 405
micro-habitat, 213
microphytobenthos, 161
microtubules, 223
Millepora agariciformis, 239
molecular systematics, 205
morphological variation, 443
morphology, 455, 505
morphometrics, 523
morphospecies, 27
motile cell ultrastructure, 297
mycosporine-like amino acids, 329
Navicula salinarum, 161, 307
new combinations, 455
Nitrogen, 253, 497
nitrogen fixation, 371
nitrogen input, 361
Nocodazole, 223
North America, 523
Nostoc, 319
Notheia, 53
nucleic acids, 319
nucleoside diphosphate monosaccharides, 21
nucleotides, 21
Nutrient limitation, 253
Nutrient removal, 231
osmoregulation, 117
Osmundea, 455
Pandorina morum, 87
Pelagophyceae, 297
Pelvetia, 35, 205
Pelvetiopsis, 205
Peridinium, 179
periphyton, 487
pH, 13
Phaeophyta, 65, 79, 205
Phenolic compounds, 223
phosphorus, 171, 253
photoinhibition, 35
photoperiod, 469
photoprotection, 35
photosynthesis, 13, 79, 109, 497
photosynthetic oxygen evolution, 43
phycobiliproteins, 497
phylogeny, 53, 87, 205, 523
Physode, 223
Phytoplankton, 253
pigments, 109, 381
plasmodium, 97
Polyols, 271
polysaccharide, 161
population genetics, 427
Porphyra aeodis, 505
Porphyra capensis, 505
Porphyra saldanhae, 505
Precambrian, 339
proteome, 329
Proterozoic, 339
Pseudanabaena, 27
purification, 71
pusular complex, 179
Raman, 381
*rbc*L gene, 523
recruitment, 213
red algae, 13, 469
reproduction, 469
Rhodophyceae, 125
Rhodophyta, 79, 271, 455, 505
Rubisco, 497
RuBisCo spacer, 205
salinity, 443
salt stress, 117
Sarcinochrysidales, 297
Sargassaceae, 53
scytonemin, 329, 381
seasonality, 213
seaweeds, 427
secondary metabolites, 371
sediment stabilization, 161
SEM, 171
sexual reproduction, 1
silicification, 307
silicon, 171, 477
soda lakes, 393
Solieria chordalis, 21, 125
South Africa, 505
spectroscopy, 381
18S rRNA gene, 523
Stauroneis, 131
Stauronella, 131
stauros, 131
stress proteins, 329
stromatolites, 339, 393
sugar transport, 271
survival, 469
synchronized cultures, 279
syngens, 87
taxonomy 131, 239, 297, 443, 505
TEM, 117
temperature, 443, 469
terrestrial biodiversity, 349
terrestrial environments, 417
Tethys, 239
Thalassiosira weissflogii, 307
threats, 349
toxins, 405
tropical terrestrial cyanobacteria, 361
tropics, 371
UDP-D-glucose-4-epimerase, 21

ultrastructure, 117, 179, 513
ultraviolet, 381
Ulva, 443
upright algae, 487
UV-A/UV-B photoprotection, 329
vertical zonation, 487
Volvocales, 87
wastewater treatment, 231
water column, 477
wave exposure, 213
xanthophyll cycle, 35
Xiphophora, 53
X-ray microanalysis, 171, 477
XRMA, 171
zoosporogenesis, 297
zygote wall, 65